

Product datasheet

Specifications

POWER SUPPLY UNIV 24VDC OUTPUT



AP95051

Overview

Presentation	External power supply that provides additional power to SmartSlot Expansion Chassis and select NetBotz applications.
Lead Time	Usually in Stock

Main

Product Or Component Type	Power supply connector Power supply PoE power supply Adapter Charger Charger module
Number Of Cables	1
Product Compatibility	Power outlet

Physical

Colour	Black
Height	7 cm
Width	9.5 cm
Depth	7 cm
Net Weight	0.34 kg
Mounting Mode	Not rack-mountable
Cable End 2	BS-1363 female power
Cable End 1	IEC 60320-C7 female power

Output

Number Of Port	1
-----------------------	---

Conformance

Product Certifications	AS/NZS 3548 (C-Tick) class A cUL listed CE EMC directive 2004/108/EC low voltage directive 2006/95/EC PSE UL listed VCCI class A VDE
Standards	FCC part 15 class A ICES-003

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.6 cm
Package 1 Width	23.5 cm
Package 1 Length	14 cm
Package 1 Weight	0.499 kg

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more >](#)

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
