

Product datasheet

Specifications



APC SmartSlot Triple Chassis Black

AP9604BLK



Overview

Presentation	UPS management accessory that provides three additional SmartSlot interfaces to your APC SmartSlot UPS.
Lead Time	Usually in Stock

Main

Number Of Cables	1
Provided Equipment	DB9-DB9 cable Rack mounting brackets User manual

Physical

Colour	Black
Height	4.4 cm
Width	43.2 cm
Depth	16.5 cm
Net Weight	1.91 kg
Mounting Location	Front
Mounting Preference	No preference
Mounting Mode	Rack-mounted

Conformance

Standards	EN 55022 class A EN 55024 EN 55082 FCC part 15 class A
Product Certifications	C-Tick CE DOC/Industry Canada VCCI

Environmental

Ambient Air Temperature For Operation	0...45 °C
Operating Altitude	0...10000 ft
Relative Humidity	0...95 %
Ambient Air Temperature For Storage	-15...65 °C
Storage Altitude	0.00...15240.00 m

Storage Relative Humidity 0...95 %

Contractual warranty

Warranty 2 years repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more >](#)



Energy Efficient Take-back RoHS/REACH

Resource performance

Energy Efficient Product

Take-Back Program Available

Well-being performance

Lead Free

Mercury Free

Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)
