Product datasheet

Specifications

Network Management Card for Easy UPS, 1-Phase

AP9544

Overview

Presentation

The Network Management Card for Easy UPS On-Line (AP9544) enables secure remote monitoring and control of one Easy UPS Online through the easy-to-use web browser interface, via EcoStruxure™ IT Software or another SNMP-enabled system.

A 12-month support contract, that allows the customer to access future firmware updates, is included with purchase of the card*. Upon expiration of the provided support contract the purchase of a new support contract license is required to access future firmware updates and gain the additional benefits of fast access to new features, priority support and rapid cybersecurity updates. Choose "License" under "This product is compatible with" to learn more about the Support Contract Licenses available.

*The NMC Firmware must be V2.5 or later. Find the latest Firmware in the Software and Firmware section below.

Lead Time

Usually in Stock

Main

Product Or Component Type	Network interface
Provided Equipment	User manual USB cable

Physical

Height	4.4 cm
Width	5.2 cm
Depth	8.0 cm
Net Weight	0.05 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Conformance

Standards	CISPR 32 EN 55024 EN 61000-4-2 EN 61000-4-3 EN 61000-4-4 EN 61000-4-5 EN 61000-4-6 EN 61000-4-8 EN 61000-6-2 EN/IEC 62040-2
Product Certifications	FCC Class A ICES-003 VCCI class A AS/NZS

Environmental

Ambient Air Temperature For Operation	-5…45 °C
Operating Altitude	0…10000 ft
Relative Humidity	0…95 %
Ambient Air Temperature For Storage	-15…65 °C
Storage Altitude	0.00…15240.00 m
Storage Relative Humidity	0…95 %

Communications & Management

Communication Network Type	10/100/1000BASE-T

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.600 cm
Package 1 Width	16.500 cm
Package 1 Length	23.000 cm
Package 1 Weight	302.000 g
Unit Type Of Package 2	P06
Number Of Units In Package 2	44
Package 2 Height	68.000 cm
Package 2 Width	60.000 cm
Package 2 Length	80.000 cm
Package 2 Weight	21.000 kg

Contractual warranty

Warranty	2 years repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Learn more ⟩

Well-being performance

✅ Mercury Free

✅ Rohs Exemption Information   Yes

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant

                              EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

                                   Product out of China RoHS scope. Substance declaration for your information

Weee   The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins