

Product datasheet

Specifications



APC Replacement Battery Cartridge, VRLA battery, 5.1Ah, 192VDC, 2-year warranty

APCRBC140

Overview

Lead Time Usually in Stock

Main

Product Or Component Type Replacement battery cartridge

Battery Type Lead-acid battery

Provided Equipment Battery recycling guide

Batteries & Runtime

Number Of Battery Free Slots 0

Number Of Battery Filled Slots 0

Device Mounting Enclosed battery cartridge

Battery Voltage 192 V

Additional Information Each APCRBC140 consists of 2 battery modules as shown in the product image.

Number Of Battery Replacement Quantity 1

Physical

Colour Black

Height 12.2 cm

Width 19.7 cm

Depth 59.7 cm

Net Weight 34.55 kg

Mounting Mode Not rack-mountable

Environmental

Ambient Air Temperature For Operation 0...40 °C

Operating Altitude 0...10000 ft

Relative Humidity 0...95 % non-condensing

Ambient Air Temperature For Storage -15...45 °C

Storage Altitude 0.00...15240.00 m

Storage Relative Humidity 0...95 % non-condensing

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	22.6 cm
Package 1 Width	78.1 cm
Package 1 Length	40.9 cm
Package 1 Weight	37.27 kg

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more >](#)



Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)